

08/003223

(3-methyl-TTNCB)  
STANDARDIZED AGONIST DOSE RESPONSE





Fig. 1



00/003223

(ALL TRANS RETINOIC ACID)  
STANDARDIZED AGONIST DOSE RESPONSE




Fig. 2

RECEPTOR	
—●—	pRShRAR-alpha (wt)
—+—	pRShRAR-beta (wt)
—*—	pRShRAR-gamma (wt)
—○—	pRShRXR-alpha (wt)
—x—	pRSmRXR-beta (wt)
—□—	pRSmRXR-gamma (wt)

08/003223

(9CIS RETINOIC ACID)  
 STANDARDIZED AGONIST DOSE RESPONSE




Fig. 3

RECEPTOR	
—●—	pRShRAR-alpha (wt)
—+—	pRShRAR-beta (wt)
—*—	pRShRAR-gamma (wt)
—○—	pRShRXR-alpha (wt)
—x—	pRSmRXR-beta (wt)
—□—	pRSmRXR-gamma (wt)

08/003223

(3-methyl-TTNEB)  
 STANDARDIZED AGONIST DOSE RESPONSE





Fig. 4



08/003223

(3-bromo-TTNEB)  
STANDARDIZED AGONIST DOSE RESPONSE





Fig. 5



08/003223

(3-methyl-TTNCHBP)  
STANDARDIZED AGONIST DOSE RESPONSE




Fig. 6

- pRShRAR-alpha (wt)
- +— pRShRAR-beta (wt)
- \*— pRShRAR-gamma (wt)
- pRShRXR-alpha (wt)
- x— pRSmRXR-beta (wt)
- pRSmRXR-gamma (wt)

08/003223

(3-methyl-TTNEHBP)  
 STANDARDIZED AGONIST DOSE RESPONSE





Fig. 7



003223




Fig. 8



DP 003223




Fig. 9

08/003223

# EFFECT OF RETINOIDS ON RAT HDL CHOLESTEROL




Figure 10